

A Level Mathematics Year 2 Exam Questions by Topic Chapter 20: Moments of forces

These questions are taken from the Specimen Exam materials and the real 2018 papers for the new syllabus AS and A-level mathematics courses and arranged by chapter of the textbooks by Goldie et al (available here: <https://amzn.to/39umfr5> and <https://amzn.to/3hE8kBL>). There are a mixture of questions from OCR A, OCR B (MEI) and Edexcel. Although the style of questions varies a little across the exam boards the content of the syllabus is almost identical so these are suitable for students preparing for any exam board.

Free problem sets for all other chapters, as well as video solutions, full past papers and other content for GCSE and A-level maths can be found at:

<https://mathsaurus.com/>

OCR B MEI Sample Paper 1 Question 15:

- 15 Fig. 15 shows a uniform shelf AB of weight WN which is 180 cm long and rests on supports at points C and D. C is 30 cm from A and D is 60 cm from B.




Fig. 15

Determine the range of positions a point load of $3W$ could be placed on the shelf without it tipping. [6]

9.




Figure 3

A plank, AB , of mass M and length $2a$, rests with its end A against a rough vertical wall. The plank is held in a horizontal position by a rope. One end of the rope is attached to the plank at B and the other end is attached to the wall at the point C , which is vertically above A .

A small block of mass $3M$ is placed on the plank at the point P , where $AP = x$. The plank is in equilibrium in a vertical plane which is perpendicular to the wall.

The angle between the rope and the plank is α , where $\tan \alpha = \frac{3}{4}$, as shown in Figure 3.

The plank is modelled as a uniform rod, the block is modelled as a particle and the rope is modelled as a light inextensible string.

(a) Using the model, show that the tension in the rope is $\frac{5Mg(3x + a)}{6a}$ (3)

The magnitude of the horizontal component of the force exerted on the plank at A by the wall is $2Mg$.

(b) Find x in terms of a . (2)

The force exerted on the plank at A by the wall acts in a direction which makes an angle β with the horizontal.

(c) Find the value of $\tan \beta$ (5)

The rope will break if the tension in it exceeds $5Mg$.

(d) Explain how this will restrict the possible positions of P . You must justify your answer carefully. (3)

Edexcel Sample Paper 3 Question 9:

9.




Figure 1

A uniform ladder AB , of length $2a$ and weight W , has its end A on rough horizontal ground.

The coefficient of friction between the ladder and the ground is $\frac{1}{4}$.

The end B of the ladder is resting against a smooth vertical wall, as shown in Figure 1.

A builder of weight $7W$ stands at the top of the ladder.

To stop the ladder from slipping, the builder's assistant applies a horizontal force of magnitude P to the ladder at A , towards the wall.

The force acts in a direction which is perpendicular to the wall.

The ladder rests in equilibrium in a vertical plane perpendicular to the wall and makes an angle α with the horizontal ground, where $\tan \alpha = \frac{5}{2}$.

The builder is modelled as a particle and the ladder is modelled as a uniform rod.

(a) Show that the reaction of the wall on the ladder at B has magnitude $3W$. (5)

(b) Find, in terms of W , the range of possible values of P for which the ladder remains in equilibrium. (5)

Often in practice, the builder's assistant will simply stand on the bottom of the ladder.

(c) Explain briefly how this helps to stop the ladder from slipping. (3)

OCR A Sample Paper 3 Question 14:


14 A uniform ladder AB of mass 35 kg and length 7 m rests with its end A on rough horizontal ground and its end B against a rough vertical wall. The ladder is inclined at an angle of 45° to the horizontal. A man of mass 70 kg is standing on the ladder at a point C , which is x metres from A . The coefficient of friction between the ladder and the wall is $\frac{1}{3}$ and the coefficient of friction between the ladder and the ground is $\frac{1}{2}$.

The system is in limiting equilibrium.

Find x . [8]

OCR A 2018 Paper 3 Question 9:

- 9 A uniform plank AB has weight 100 N and length 4 m . The plank rests horizontally in equilibrium on two smooth supports C and D , where $AC = x\text{ m}$ and $CD = 0.5\text{ m}$ (see diagram).



The magnitude of the reaction of the support on the plank at C is 75 N . Modelling the plank as a rigid rod, find

- (i) the magnitude of the reaction of the support on the plank at D , [1]

- (ii) the value of x . [3]

A stone block, which is modelled as a particle, is now placed at the end of the plank at B and the plank is on the point of tilting about D .

- (iii) Find the weight of the stone block. [3]

- (iv) Explain the limitation of modelling

- (a) the stone block as a particle, [1]

- (b) the plank as a rigid rod. [1]

OCR B MEI 2018 Paper 1 Question 7:

- 7 A rod of length 2 m hangs vertically in equilibrium. Parallel horizontal forces of 30 N and 50 N are applied to the top and bottom and the rod is held in place by a horizontal force $F\text{ N}$ applied $x\text{ m}$ below the top of the rod as shown in Fig. 7.




Fig. 7

- (i) Find the value of F . [1]

- (ii) Find the value of x . [2]